



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/719,743	11/21/2003	Bernard J. New	X-1141 US	3152
24309	7590	11/18/2004	EXAMINER	
XILINX, INC ATTN: LEGAL DEPARTMENT 2100 LOGIC DR SAN JOSE, CA 95124			NGUYEN, HAI L	
			ART UNIT	PAPER NUMBER
			2816	

DATE MAILED: 11/18/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/719,743

Applicant(s)

NEW ET AL.

Examiner

Hai L. Nguyen

Art Unit

2816

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 21 November 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-26 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-26 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 21 November 2003 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 11/21/2003.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Drawings

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the details that each of the inverters comprises a transistor having a well region coupled to the voltage distribution line, as recited in claims 7 and 19, must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

2. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

3. Claims 20-26 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. The claimed limitations that “operating the delay elements in response to a first voltage when the input clock signal has a frequency greater than or equal to a first frequency; and operating the delay elements in response to a second voltage when the input clock signal has a frequency less than the first frequency.” in claim 2; and “comparing the distributed clock signal with the input clock signal; and selecting the delayed version of the input clock signal in response to the step of comparing the distributed clock signal with the input clock signal.”, in claims 24 and 26, have not been enabled in the specification. The details of such functions are not seen in the description of the preferred embodiment. It is not clear as currently defined, how the instant invention can perform the recited functions.

4. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

5. Claim 9 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

The term "about" in claim 9 is a relative term, which renders the claim indefinite. The term "about" is not defined by the claim, the specification does not provide a standard for ascertaining the requisite degree, and one of ordinary skill in the art would not be reasonably apprised of the scope of the invention. Therefore, the term "about" is indefinite for the same reason "relatively shallow" was held to be indefinite by the Board of Appeals, i.e., it is not clear what applicant intends to cover by the term "about" when referring to the second delay is about twice as long as the first delay. See *Ex parte Oetiker*, 23 USPQ2d 641 (Bd. Pat. App & Inter. 1992). MPEP § 2173.05(b).

Claim Rejections - 35 USC § 103

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. Claims 1-6, 8, 9 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Park (US Pat. 6,275,079) in view of Hyland et al. (US Pat. 6,788,119).

With regard to claim 1, Park discloses in Figs. 4-7 a delay locked loop comprising a primary delay line (103') comprising a plurality of series-connected delay elements; and a delay control circuit (105) coupled to the primary delay line. Fig. 3 of Park shows a delay locked loop meeting all of the claimed limitations except for using a memory cell (220 in instant Fig. 2) as a control signal of multiplexer. Hyland et al. teaches in Fig. 6 a delay locked loop circuit that either a memory cell (615) or active signals provided from elsewhere in the circuit or from

Art Unit: 2816

outside the circuit can be used as the control signal of the multiplexer (see column 8, lines 19-40). Therefore, it would have been obvious to one of ordinary skill in the art to implement the memory cell, as the control signal, taught by Hyland et al. with the prior art (Figs. 4-7 of Park) for the advantage of providing the control signal to meet a specific requirement which is in each case optimally matched to its application.

With regard to claims 2, 3, 5, 6, 8, and 9, the references also meet the recited limitations in these claims.

With regard to claim 4, the above discussed that the delay locked loop of Park meets all of the claimed limitations except for the limitation that the first voltage (V_{pp}) is 10 or more percent greater than the second voltage (V_{cc}). It would have been obvious to one of ordinary skill in the art at the time of applicant's invention was made to set the first voltage (V_{pp}) is at a certain percent greater than the second voltage, including 10 or more percent, to meet the specific condition of the particular application. It has been held that discovering an optimum range or to optimally match to an application is obvious to the skilled artisan. See *In re Boesch*, 617 F.2d 272, 205 USPQ 215 (CCPA 1980).

With regard to claim 15, the delay locked loop of Park further comprises an inherent voltage regulator for providing at least one of the first and second voltages (V_{pp} , V_{cc}).

8. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Park in view of Hyland et al., as applied to claims 1, 2, and 5 above; and further in view of Krishnamurthy (US Pat. 6,271,713).

The above discussed that the delay locked loop, and the method of use thereof, of the references meets all of the claimed limitations except for the limitation that each of the inverters

Art Unit: 2816

(205₁ - 205_N in instant Fig. 2) comprises a transistor having a well region coupled to the voltage distribution line (222). Krishnamurthy teaches in Fig. 4 a circuit having each of the inverters (152, 154) comprises a transistor (M2, M4) having a well region coupled to the voltage distribution line (116). Therefore, it would have been obvious to one of ordinary skill in the art to implement that teaching with the prior art in order to improve the switching speed of the circuit.

9. Claims 1, 2, and 10-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dortu et al. (US Pat. 6,252,443) in view of Park, and further in view of Hyland et al. (US Pat. 6,788,119).

With regard to claim 1, Dortu et al. discloses in Fig. 10 a delay locked loop comprising a primary delay line (112') comprising a plurality of series-connected delay elements. Fig. 10 of Dortu et al. shows a delay locked loop meeting all of the claimed limitations except for a delay control circuit (213 in instant Fig. 2). Park teaches in Fig. 7 a delay locked loop circuit having a delay control circuit (702) coupled to the primary delay line (103) as recited in the claim. Therefore, it would have been obvious to one of ordinary skill in the art to implement the delay control circuit taught by Park with the prior art (Fig. 10 Dortu et al.) for the advantage of setting the delay line at desired pre-determined time delay. Furthermore, Hyland et al. teaches in Fig. 6 a delay locked loop circuit that either a memory cell (615) or active signals provided from elsewhere in the circuit or from outside the circuit can be used as the control signal of the multiplexer (see column 8, lines 19-40). Therefore, it would have been obvious to one of ordinary skill in the art to implement the memory cell, as the control signal, taught by Hyland et

Art Unit: 2816

al. with the prior arts for the advantage of providing the control signal to meet a specific requirement which is in each case optimally matched to its application.

With regard to claims 2 and 15, the references also meet the recited limitations in these claims.

With regard to claim 10, the delay locked loop further comprises a clock input terminal (Input) for receiving an input clock signal (C_{kin}); a first multiplexer (115s in the top row) coupled to receive delayed versions of the input clock signal from the delay elements of the primary delay line; and a delay selection circuit (114) coupled to control the first multiplexer in response to the input clock signal and a distributed version of the input clock signal.

With regard to claim 11, the delay locked loop further comprises a second multiplexer (115s in the second row) having a first input terminal coupled to receive a delayed version of the input clock signal routed by the first multiplexer (one of plurality of 115s in the top row); and a fast delay element having an input terminal coupled to receive the delayed version of the input clock signal routed by the first multiplexer, and an output terminal coupled to a second input terminal of the second multiplexer (one of plurality of 115s in the second row).

With regard to claims 12 and 13, the references also meet the recited limitations in these claims.

With regard to claim 14, the above discussed circuit of the references meets all of the claimed limitations except for a clock distribution network (103 in instant Fig. 1). However, it is notoriously well known in the art that clock distribution network is employed to distribute the output clock to other circuits. Therefore, it would have been obvious to one of ordinary skill in the art to utilize a clock distribution network with the circuit of the references in order to provide

Art Unit: 2816

synchronize clocks to the subsequent circuits, and the feedback clock can be either the output clock of the multiplexer or from the clock distribution network (see Figs. 3 & 4 of Yamazaki, US patent 5,999,027) for the advantage of providing the synchronize clock signal to meet a specific requirement which is in each case optimally matched to its application.

10. Claims 16-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over the admitted prior art (APA), Fig. 1 in the present application, in view of Park.

With regard to claim 16, the APA discloses in Fig. 1 a field programmable gate array (FPGA) circuit comprising an input clock terminal for receiving an input clock signal (CLK_IN) used to clock data into the FPGA; a global clock routing network (103) that provides a distributed clock signal (DIST_CLK) in response to the input clock signal, wherein the distributed clock signal is used to clock data into or out of the FPGA; a delay locked loop (101). Fig. 1 of APA shows a circuit all of the claimed limitations except for structural details of the delay locked loop. Park teaches in Figs. 3-7 a delay locked loop comprising a primary delay line (103,103') comprising a plurality of series-connected delay elements, wherein each of the delay elements operates in response to a voltage on a voltage distribution line (Vp); a first voltage terminal for receiving a first voltage (Vpp); a second voltage terminal for receiving a second voltage (Vcc), wherein the first voltage is greater than the second voltage; and a voltage selection circuit (702) for selectively coupling the first voltage terminal or the second voltage terminal to the voltage distribution line.

With regard to claim 17 and 18, the references also meet the recited limitations in these claims.

Art Unit: 2816

11. Claim 19 is rejected under 35 U.S.C. 103(a) as being unpatentable over the admitted prior art (APA), Fig. 1 in the present application, in view of Park, as applied to claims 16 and 17 above; and further in view of Krishnamurthy.

The above discussed that the FPGA circuit of the prior arts meets all of the claimed limitations except for the limitation that each of the inverters (205₁ - 205_N in instant Fig. 2) comprises a transistor having a well region coupled to the voltage distribution line (222). Krishnamurthy teaches in Fig. 4 a circuit having each of the inverters (152, 154) comprises a transistor (M2, M4) having a well region coupled to the voltage distribution line (116). Therefore, it would have been obvious to one of ordinary skill in the art to implement that teaching with the prior arts in order to improve the switching speed of the circuit.

Conclusion

12. Regarding claims 20-26, the patentability thereof cannot be determined because of failing to comply with the enablement requirement.

13. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. For example, Leonowich (US Pat. 5,463,337) is cited as of interest because it discloses a Delay locked loop based clock synthesizer using a dynamically adjustable number of delay elements therein.


14. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hai L. Nguyen whose telephone number is 571-272-1747 and Right Fax number is 571-273-1747. The examiner can normally be reached on Monday-Thursday.

Art Unit: 2816

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy Callahan can be reached on 571-272-1740. The official fax phone number for the organization where this application or proceeding is 703-872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 571-272-1562.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

HLN 
November 12, 2004



TIMOTHY P. CALLAHAN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800